

THE BRITISH ASSOCIATION OF

UROLOGICAL SURGEONS Section of Female, Neurological & Urodynamic Urology

Analyses of procedures performed for Female Stress Urinary Incontinence between

January 1st 2017 and December 31st 2019

Copyright

It is important to remind you that, under the Copyright Designs and Patents Act 1988 (CDPA) copyright of this Report, including the charts produced in it, is owned by The British Association of Urological Surgeons Limited (BAUS). Copying or reproducing any part of this material in any other publication without seeking the prior permission of BAUS is a breach of copyright.

Please contact Mrs Sarah Fowler (E-mail: sarahfowler99@gmail.com)

AUDIT RESULTS SUMMARY – Stress Urinary Incontinence dataset

All the data presented here are a summary of the data extracted from the web-based database on 31st March 2020 and relate to operations performed between 1st January 2017 and 31st December 2019. Once extracted the data was transferred to an AccessTM database for validation before being imported into TableauTM for generation of the analyses. The validation mainly comprised checks for duplicate and / or empty entries and invalid / inappropriate dates.

The data collection period was from 1 January 2017 to 31 December 2019.


- 1884 SUI procedures were recorded from 95 Consultants at 87 centres in the United Kingdom (1737 procedures for England only), including 81 private patients from 26 Consultants.
- Median number of cases per consultant: 12 (range 1 92)
- Median number of cases per centre: 12 (range 1 108)
- 96% of the operations (1,656 of 1,726) proceeded with no reported complications. There were 70 cases (4%) in which a **peri-operative** complication was recorded.
- Of the 1,136 (60%) patients with follow-up recorded, 1,131 (99.6%) had a record of whether or not there was a **post-operative** complication. For 1033 (91%) patients, no post-operative complications occurred.
- There were no deaths during the study period.
- 78% (1659) of the procedures were performed for primary SUI and 22% (474) for recurrent SUI. All data were entered by hand, and there was no bulk uploading of data from other systems.

HES figures for 2017 to 2018 (inclusive) indicate that urologists undertook 1,714 stress urinary incontinence (SUI) procedures in England (993 in 2017 and 721 in 2018). We do not have the HES figures for 2019 but assume they will be similar or less than 2018. The BAUS audit has, therefore, probably captured around 72% of these.

It is important to note that as a result of the COVID-19 crisis some surgeons and units may have been unable to submit all or any of their 2019 data.


Surgery for Female Stress Urinary Incontinence performed between 01/01/2017 and 31/12/2019

1884 SUI procedures were recorded from 95 Consultants at 87 centres in the United Kingdom including 81 private patients from 26 Consultants.







TotalreturnsperCentre




Total returns by Consultant by Procedure




ReturnsbyCentrebyProcedure




Symptoms




Pre-operative Urodynamics Results



Pre-operative Urodynamics



BMI



Age at Operation

Kind Of Surgery	Number of Records	Median Age	Min. Age	Max. Age
Primary	1,379	51	14	94
Recurrent SUI	488	56	14	89
Grand Total	1,867	53	14	94

NeuropathicBladder

neuropathicbladder	of	% of Total Number of Recor
Neuropathic Bladder	67	3.6%
No	1,817	96.4%
Grand Total	1,884	100.0%

Peri-operative complications by surgery

Kind Of Surgery

	· ·····a o · o a · go · y					
	Prin	nary	Recurr	ent SUI	Grand Total	
Peri Operative Complications	Number of Records	% of Total Number of Records	Number of Records	% of Total Number of Records	Number of Records	% of Total Number of Records
None	1,223	96.4%	433	94.7%	1,656	95.9%
Bladder perforation	25	2.0%	12	2.6%	37	2.1%
Procedure abandoned			1	0.2%	1	0.1%
Urethral perforation	1	0.1%	5	1.1%	6	0.3%
Bladder perforation, Urethral	1	0.1%			1	0.1%
Other	19	1.5%	6	1.3%	25	1.4%
Grand Total	1,269	100.0%	457	100.0%	1,726	100.0%

Unintended CISC started

Kind Of Surgery

	Prim	nary	Recurre	ent SUI	Grand	Total
Did The Patient Start Unintended Cisc	Number of Records	% of Total Number		% of Total Number	Number of Records	% of Total Number
Yes	36	2.6%	14	2.8%	50	2.7%
No	518	37.3%	210	42.3%	728	38.6%
Not recorded	834	60.1%	272	54.8%	1,106	58.7%
Grand Total	1,388	100.0%	496	100.0%	1,884	100.0%

Length of Stay

Kind Of Surgery	Number of Records	Median LengthofStay	Min. LengthofStay	Max. LengthofStay
Primary	1,126	0	0	16
Recurrent SUI	383	1	0	63
Grand Total	1,509	0	0	63

Patients with Follow up

Fuid (group) 2	of	% of Total Number of Recor
FU	1,138	60.4%
No FU	746	39.6%
Grand Total	1,884	100.0%

Patient reported Urinary tract infection

Patient Reported Complications	of	% of Total Number of Recor
Yes	77	6.8%
No	1,043	91.7%
Not recorded	18	1.6%
Grand Total	1,138	100.0%

Clavien Dindo Grade of Complications

	Kind Of Surgery						
	Primary		Recurrent SUI		Grand	l Total	
Clavien Dindo Grade Of Complication	Number of Records	% of Total Number of Records		% of Total Number of Records	Number of Records	% of Total Number of Records	
No complications	796	92.2%	239	86.9%	1,035	90.9%	
Grade I	45	5.2%	22	8.0%	67	5.9%	
Grade II	5	0.6%	8	2.9%	13	1.1%	
Grade IIIa	2	0.2%	1	0.4%	3	0.3%	
Grade IIIb	9	1.0%	2	0.7%	11	1.0%	
Grade IVa	3	0.3%	1	0.4%	4	0.4%	
Not recorded	3	0.3%	2	0.7%	5	0.4%	
Grand Total	863	100.0%	275	100.0%	1,138	100.0%	

Persistent Pain after Surgery

Persistent Pain After Surgery	of	% of Total Number of Recor
Yes	35	3.1%
No	1,073	94.3%
Not recorded	30	2.6%
Grand Total	1,138	100.0%

Patient catheter dependent since surgery

Kind Of Surger	Kind	Of	Su	rq	е	r
----------------	------	----	----	----	---	---

	rana or oargory					
	Prin	nary	Recurre	ent SUI	Grand	l Total
Is The Patient Catheter Dependent		% of Total Number		% of Total Nu		% of Total Number
Yes	45	7.4%	17	11.2%	62	8.2%
No	554	91.6%	131	86.2%	685	90.5%
Not recorded	6	1.0%	4	2.6%	10	1.3%
Grand Total	605	100.0%	152	100.0%	757	100.0%

Bladder Urgency -new symptoms

Over Active Bladder Symptoms New De Novo Urgency	of	% of Total Number of Recor
Yes	145	12.7%
No	973	85.5%
Not recorded	20	1.8%
Grand Total	1,138	100.0%


Bladder Urgency - existing sysmptoms

Over Active Bladder Symptoms Pre Existing Urgency Change	of	% of Total Number of Recor
Better	221	19.4%
No change	484	42.5%
Worse	25	2.2%
Not recorded	408	35.9%
Grand Total	1,138	100.0%


Tape extrusion

Tape Extrusion	Location Of Extrusion	of	% of Total Number of Recor
Yes	Vaginal	5	1.5%
	Urethral	1	0.3%
	Total	6	1.8%
No	N/A	334	98.2%
	Total	334	98.2%
Grand Total		340	100.0%


Severity of Incontinence change



ICIQ-UIQ3 change



ICIQ-UI Sum score change



Participating Hospital Centres 2017, 2018 and 2019

We are grateful to consultants from the following Centres / trusts who returned data for these analyses:

Addenbrooke's Hospital, Cambridge

Airedale Hospital

Alexandra Hospital, Redditch

Barking, Havering & Redbridge University Hospital

Basildon University Hospital, Essex

Bedford Hospital

BMI Goring Hall Hospital Bradford Royal Infirmary

Burnley General Hospital

Castle Hill Hospital, Hull

Charing Cross Hospital, London

City Hospital Birmingham

Darlington Memorial Hospital

Diana, Princess of Wales Hospital, Grimsby

Eastbourne District General Hospital

Epsom General Hospital, Surrey

Forth Valley Royal Hospital, Larbert

Freeman Hospital, Newcastle

Frimley Park Hospital

Gartnavel General Hospital, Glasgow

George Eliot Hospital, Nuneaton

Guy's & Thomas's Hospital

Harrogate District Hospital

Huddersfield Royal Infirmary

Ipswich Hospital, Suffolk

James Cook University Hospital, Middlesbrough
James Paget University Hospital, Great Yarmouth

King's Mill Hospital, Nottinghamshire

Kingston Hospital, London Leicester General Hospital Leighton Hospital, Cheshire

Lister Hospital, Stevenage

Luton & Dunstable University Hospital

Manchester Royal Infirmary

Medway Maritime Hospital, Gillingham

Musgrove Park Hospital, Taunton

Norfolk & Norwich University Hospital North Manchester General Hospital Northern General Hospital, Sheffield

Northwick Park Hospital Nottingham City Hospital Peterborough City Hospital

Pinderfields General Hospital, Wakefield Queen Alexandra Hospital, Portsmouth Queen Elizabeth Hospital, Birmingham Queen's Hospital, Burton-on-Trent

Raigmore Hospital, Inverness

Royal Blackburn Hospital

Royal Albert Edward Infirmary, Wigan

Royal Bolton Hospital

Royal Derby Hospital

Royal Free Hospital, London

Royal Hallamshire Hospital, Sheffield

Royal National Orthopaedic Hospital, Stanmore

Royal Sussex County Hospital, Brighton

Salford Royal Hospital

Salisbury District Hospital

Southend Hospital

Southmead Hospital, Bristol

St George's Hospital, London

St James's University Hospital, Leeds

St Richard's Hospital, Chichester

Stepping Hill Hospital, Stockport

Sunderland Royal Hospital

The Queen Elizabeth Hospital, King's Lynn

The Royal Oldham Hospital

University College Hospital, London

Walsgrave Hospital, Coventry

Watford General Hospital

Western General Hospital, Edinburgh

Wexham Park Hospital, Slough

Whipps Cross University Hospital, London

Whiston Hospital, Prescot

Worthing Hospital

Wrexham Maelor Hospital

Wycombe Hospital, High Wycombe

York Hospital